

## Publication List

---

Complete list of all refereed publications in reverse chronological order.

1. A search for prompt lepton-jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **719**, 299 (2013)
2. Search for resonances decaying into top-quark pairs using fully hadronic decays in  $pp$  collisions with ATLAS at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1301**, 116 (2013)
3. Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **719**, 261 (2013)
4. Search for contact interactions and large extra dimensions in dilepton events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **87**, 015010 (2013)
5. Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **719**, 280 (2013)
6. A search for high-mass resonances decaying to  $\tau^+\tau^-$  in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **719**, 242 (2013)
7. Search for pair production of heavy top-like quarks decaying to a high-pT  $W$  boson and a  $b$  quark in the lepton plus jets final state at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **718**, 1284 (2013)
8. Search for doubly-charged Higgs bosons in like-sign dilepton final states at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2244 (2012)
9. Search for pair production of massive particles decaying into three quarks with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1212**, 086 (2012)
10. Search for anomalous production of prompt like-sign lepton pairs at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1212**, 007 (2012)
11. Search for R-parity-violating supersymmetry in events with four or more leptons in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1212**, 124 (2012)
12. ATLAS search for new phenomena in dijet mass and angular distributions using  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1301**, 029 (2013)
13. Search for Supersymmetry in Events with Large Missing Transverse Momentum, Jets, and at Least One Tau Lepton in 7 TeV Proton-Proton Collision Data with the ATLAS Detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2215 (2012)
14. Search for resonant top plus jet production in  $t\bar{t} + \text{jets}$  events with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 091103 (2012)

15. ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2241 (2012)
16. Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1211**, 094 (2012)
17. Search for high-mass resonances decaying to dilepton final states in  $pp$  collisions at  $s^{**}(1/2) = 7$ -TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1211**, 138 (2012)
18. Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **718**, 411 (2012)
19. Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at  $\sqrt{s} = 7$  TeV with ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1211**, 033 (2012)
20. Further search for supersymmetry at  $\sqrt{s} = 7$  TeV in final states with jets, missing transverse momentum and isolated leptons with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 092002 (2012)
21. Search for light scalar top quark pair production in final states with two leptons with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2237 (2012)
22. Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **718**, 841 (2013)
23. Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **718**, 879 (2013)
24. Search for new phenomena in the  $WW$  to  $\ell\nu\ell'\nu'$  final state in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **718**, 860 (2013)
25. Search for direct top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions using  $4.7 \text{ fb}^{-1}$  of ATLAS data.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **109**, 211803 (2012)
26. Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **719**, 220 (2013)
27. Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **109**, 211802 (2012)
28. Measurement of  $WZ$  production in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2173 (2012)
29. Underlying event characteristics and their dependence on jet size of charged-particle jet events in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 072004 (2012)

30. Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **716**, 1 (2012)
31. Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep inelastic  $ep$  scattering at HERA.  
F. D. Aaron *et al.* [H1 and ZEUS Collaborations], Eur. Phys. J. C **72**, 2175 (2012)
32. Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2174 (2012)
33. A search for  $t\bar{t}$  resonances in lepton+jets events with highly boosted top quarks collected in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1209**, 041 (2012)
34. Combined search for the Standard Model Higgs boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 032003 (2012)
35. Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a  $b$ -quark pair with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **718**, 369 (2012)
36. Inclusive Deep Inelastic Scattering at High  $Q^2$  with Longitudinally Polarised Lepton Beams at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], JHEP **1209**, 061 (2012)
37. Search for the Higgs boson in the  $H \rightarrow WW \rightarrow l\nu jj$  decay channel at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **718**, 391 (2012)
38. Search for the Standard Model Higgs boson in the  $H$  to  $\tau^+\tau^-$  decay mode in  $\sqrt{s} = 7$  TeV  $pp$  collisions with ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1209**, 070 (2012)
39. ATLAS measurements of the properties of jets for boosted particle searches.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 072006 (2012)
40. Measurement of Beauty Photoproduction near Threshold using Di-electron Events with the H1 Detector at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 2148 (2012)
41. Measurement of the b-hadron production cross section using decays to  $D^*\mu^-X$  final states in  $pp$  collisions at  $\text{sqrt}(s) = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Nucl. Phys. B **864**, 341 (2012)
42. Search for a standard model Higgs boson in the mass range 200 - 600-GeV in the  $H \rightarrow ZZ \rightarrow \ell^+\ell^-q\bar{q}$  decay channel with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **717**, 70 (2012)
43. Measurement of event shapes at large momentum transfer with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2211 (2012)
44. Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in  $4.7 \text{ fb}^{-1}$  of  $\sqrt{s} = 7$  TeV proton-proton collisions.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1207**, 167 (2012)

45. Search for the Standard Model Higgs boson in the  $H \rightarrow WW^(*) \rightarrow \ell\nu\ell\nu$  decay mode with 4.7 /fb of ATLAS data at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **716**, 62 (2012)
46. A search for flavour changing neutral currents in top-quark decays in  $pp$  collision data collected with the ATLAS detector at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1209**, 139 (2012)
47. Search for a Standard Model Higgs boson in the  $H \rightarrow ZZ \rightarrow l^+l^-\nu\bar{\nu}$  decay channel using 4.7  $fb^{-1}$  of  $\text{sqrt}(s) = 7$  TeV data with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **717**, 29 (2012)
48. Evidence for the associated production of a  $W$  boson and a top quark in ATLAS at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **716**, 142 (2012)
49. A search for  $t\bar{t}$  resonances with the ATLAS detector in 2.05  $fb^{-1}$  of proton-proton collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2083 (2012)
50. Measurement of the  $t$ -channel single top-quark production cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **717**, 330 (2012)
51. Measurement of  $W\gamma$  and  $Z\gamma$  production cross sections in  $pp$  collisions at  $\sqrt{s} = 7$  TeV and limits on anomalous triple gauge couplings with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **717**, 49 (2012)
52. Measurement of Beauty and Charm Photoproduction using Semi-muonic Decays in Dijet Events at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 2047 (2012)
53. Measurement of the  $W$  boson polarization in top quark decays with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1206**, 088 (2012)
54. Determination of the Integrated Luminosity at HERA using Elastic QED Compton Events.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 2163 (2012)
55. Measurement of the top quark pair cross section with ATLAS in  $pp$  collisions at  $\text{sqrt}(s) = 7$  TeV using final states with an electron or a muon and a hadronically decaying  $\tau$  lepton.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **717**, 89 (2012)
56. Search for tb resonances in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **109**, 081801 (2012)
57. Search for lepton flavour violation in the emu continuum with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2040 (2012)
58. Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector.  
A. Collaboration *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2157 (2012)
59. Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **715**, 44 (2012)
60. Measurement of  $\tau$  polarization in  $W^- \rightarrow \tau\nu$  decays with the ATLAS detector in  $pp$  collisions at  $\text{sqrt}(s) = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2062 (2012)

61. Search for supersymmetry in events with three leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 261804 (2012)
62. Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **716**, 122 (2012)
63. Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying  $\tau$  lepton in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **714**, 197 (2012)
64. Search for charged Higgs bosons decaying via  $H^+ \rightarrow \tau\nu$  in top quark pair events using  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1206**, 039 (2012)
65. Search for resonant  $WZ$  production in the  $WZ \rightarrow \ell\nu\ell'\ell'$  channel in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 112012 (2012)
66. Search for pair production of a new quark that decays to a Z boson and a bottom quark with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **109**, 071801 (2012)
67. Search for the decay  $Bs0^- \rightarrow \mu^+\mu^- \mu^+\mu^-$  with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **713**, 387 (2012)
68. Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **714**, 180 (2012)
69. Measurement of the  $WW$  cross section in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector and limits on anomalous gauge couplings.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **712**, 289 (2012)
70. Search for supersymmetry in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in final states with missing transverse momentum and  $b^-$  jets with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 112006 (2012)
71. Search for gluinos in events with two same-sign leptons, jets and missing transverse momentum with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 241802 (2012)
72. Measurement of the top quark mass with the template method in the  $t\bar{t} \rightarrow \ell^- \nu \ell^+ \nu$  lepton + jets channel using ATLAS data.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2046 (2012)
73. Search for heavy neutrinos and right-handed  $W$  bosons in events with two leptons and jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2056 (2012)
74. Measurement of  $t\bar{t}$  production with a veto on additional central jet activity in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2043 (2012)
75. Jet mass and substructure of inclusive jets in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS experiment.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1205**, 128 (2012)

76. Inclusive Measurement of Diffractive Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 2074 (2012)
77. Measurement of the charge asymmetry in top quark pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2039 (2012)
78. Observation of spin correlation in  $t\bar{t}$  events from pp collisions at  $\text{sqrt}(s) = 7$  TeV using the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 212001 (2012)
79. Determination of the strange quark density of the proton from ATLAS measurements of the  $W -> l\nu$  and  $Z -> ll$  cross sections.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **109**, 012001 (2012)
80. Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1205**, 157 (2012)
81. Search for second generation scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2151 (2012)
82. Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 092014 (2012)
83. Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1207**, 019 (2012)
84. Measurement of the azimuthal anisotropy for charged particle production in  $\sqrt{s_{NN}} = 2.76$  TeV lead-lead collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. C **86**, 014907 (2012)
85. Measurement of the polarisation of  $W$  bosons produced with large transverse momentum in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 2001 (2012)
86. Search for a light Higgs boson decaying to long-lived weakly-interacting particles in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 251801 (2012)
87. Measurement of Inclusive and Dijet  $D^*$  Meson Cross Sections in Photoproduction at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 1995 (2012)
88. Search for new particles decaying to  $ZZ$  using final states with leptons and jets with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **712**, 331 (2012)
89. Search for FCNC single top-quark production at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **712**, 351 (2012)
90. Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 052005 (2012)
91. Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and hadronically decaying  $W$  bosons.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **109**, 032001 (2012)

92. Search for same-sign top-quark production and fourth-generation down-type quarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1204**, 069 (2012)
93. Measurement of the cross section for top-quark pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector using final states with two high-pt leptons.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1205**, 059 (2012)
94. Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 1993 (2012)
95. Search for pair-produced heavy quarks decaying to Wq in the two-lepton channel at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 012007 (2012)
96. Search for pair production of a heavy up-type quark decaying to a W boson and a b quark in the lepton+jets channel with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 261802 (2012)
97. Search for the Standard Model Higgs boson in the decay channel  $H \rightarrow ZZ^{(*)} \rightarrow 4\ell$  with  $4.8 \text{ fb}^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 7$  TeV with ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **710**, 383 (2012)
98. Search for the Standard Model Higgs boson in the diphoton decay channel with  $4.9 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV with ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 111803 (2012)
99. Combined search for the Standard Model Higgs boson using up to  $4.9 \text{ fb}^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **710**, 49 (2012)
100. Search for decays of stopped, long-lived particles from 7 TeV  $pp$  collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 1965 (2012)
101. Search for excited leptons in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 072003 (2012)
102. Rapidity gap cross sections measured with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 1926 (2012)
103. Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **711**, 244 (2012)
104. Study of jets produced in association with a  $W$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 092002 (2012)
105. Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the Standard Model with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 032004 (2012)
106. Measurement of inclusive jet and dijet production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **86**, 014022 (2012)
107. Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **712**, 22 (2012)

108. Observation of a new  $\chi_b$  state in radiative transitions to  $\Upsilon(1S)$  and  $\Upsilon(2S)$  at ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 152001 (2012)
109. Search for first generation scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **709**, 158 (2012), [Erratum-ibid. **711**, 442 (2012)]
110. Measurement of  $D^{*+/-}$  meson production in jets from  $pp$  collisions at  $\text{sqrt}(s) = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 052005 (2012)
111. Search for contact interactions in dilepton events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **712**, 40 (2012)
112. Search for scalar bottom pair production with the ATLAS detector in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 181802 (2012)
113. Search for production of resonant states in the photon-jet mass distribution using  $pp$  collisions at  $\sqrt{s} = 7$  TeV collected by the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 211802 (2012)
114. Search for the Higgs boson in the  $H \rightarrow WW^(*) \rightarrow \ell\nu\ell\nu$  decay channel in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 111802 (2012)
115. Search for Extra Dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **710**, 538 (2012)
116. Measurement of the  $WZ$  production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **709**, 341 (2012)
117. Measurement of the Azimuthal Correlation between the most Forward Jet and the Scattered Positron in Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 1910 (2012)
118. Search for Diphoton Events with Large Missing Transverse Momentum in  $1 \text{ fb}^{-1}$  of 7 TeV Proton-Proton Collision Data with the ATLAS Detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **710**, 519 (2012)
119. Measurement of the production cross section for  $Z/\gamma\gamma^*$  in association with jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 032009 (2012)
120.  $K_{\text{short}}$  and  $\Lambda$  production in  $pp$  interactions at  $\sqrt{s} = 0.9$  and 7 TeV measured with the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 012001 (2012)
121. Measurement of Dijet Production in Diffractive Deep-Inelastic Scattering with a Leading Proton at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 1970 (2012)
122. Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **709**, 322 (2012)

123. A study of the material in the ATLAS inner detector using secondary hadronic interactions.  
 G. Aad *et al.* [ATLAS Collaboration], JINST **7**, P01013 (2012)
124. Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV proton-proton collisions.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **709**, 137 (2012)
125. Measurement of the  $ZZ$  production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 041804 (2012)
126. Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 1909 (2012)
127. Search for Massive Colored Scalars in Four-Jet Final States in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS Detector.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1828 (2011)
128. Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector.  
 G. Aad *et al.* [Atlas Collaboration], JHEP **1111**, 099 (2011)
129. Performance of the ATLAS Trigger System in 2010.  
 G. Aad *et al.* [Atlas Collaboration], Eur. Phys. J. C **72**, 1849 (2012)
130. Measurement of the inclusive and dijet cross-sections of  $b^-$  jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1846 (2011)
131. Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in  $\text{sqrt}s = 7$  TeV pp collisions using  $1 \text{ fb}^{-1}$  of ATLAS data.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 012006 (2012)
132. Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **710**, 67 (2012)
133. Search for the Standard Model Higgs boson in the decay channel  $H \rightarrow ZZ^{(*)} \rightarrow 4l$  with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **705**, 435 (2011)
134. Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1795 (2011)
135. Measurement of the inclusive  $W^\pm$  and Z/gamma cross sections in the electron and muon decay channels in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 072004 (2012)
136. Search for New Phenomena in  $t\bar{t}$  Events With Large Missing Transverse Momentum in Proton-Proton Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **108**, 041805 (2012)
137. Search for the Higgs boson in the  $H \rightarrow WW \rightarrow l\nu jj$  decay channel in pp collisions at  $\text{sqrt}s = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **107**, 231801 (2011)

138. Search for a Standard Model Higgs boson in the  $H \rightarrow ZZ \rightarrow l^+l^-vv^-$  decay channel with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **107**, 221802 (2011)
139. Search for a heavy neutral particle decaying into an electron and a muon using  $1 \text{ fb}^{-1}$  of ATLAS data.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1809 (2011)
140. Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **707**, 478 (2012)
141. Measurement of the cross-section for  $b^-$  jets produced in association with a  $Z$  boson at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **706**, 295 (2012)
142. Measurement of the cross section for the production of a  $W$  boson in association with  $b^-$  jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **707**, 418 (2012)
143. Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **707**, 438 (2012)
144. Search for New Physics in the Dijet Mass Distribution using  $1 \text{ fb}^{-1}$  of  $pp$  Collision Data at  $\sqrt{s} = 7$  TeV collected by the ATLAS Detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **708**, 37 (2012)
145. Measurement of the Transverse Momentum Distribution of  $W$  Bosons in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 012005 (2012)
146. Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **710**, 363 (2012)
147. Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **707**, 330 (2012)
148. Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **705**, 452 (2011)
149. Performance of Missing Transverse Momentum Reconstruction in Proton-Proton Collisions at 7 TeV with ATLAS.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **72**, 1844 (2012)
150. Search for a heavy Standard Model Higgs boson in the channel  $H \rightarrow ZZ \rightarrow llqq$  using the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **707**, 27 (2012)
151. A measurement of the ratio of the  $W$  and  $Z$  cross sections with exactly one associated jet in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with ATLAS.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **708**, 221 (2012)
152. Measurement of the  $W$  to  $\tau\nu$  Cross Section in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **706**, 276 (2012)

153. Measurement of the top quark pair production cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in dilepton final states with ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **707**, 459 (2012)
154. Measurement of the Z to tau tau Cross Section with the ATLAS Detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **84**, 112006 (2011)
155. Search for dilepton resonances in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **107**, 272002 (2011)
156. Search for a heavy gauge boson decaying to a charged lepton and a neutrino in  $1 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **705**, 28 (2011)
157. Inclusive search for same-sign dilepton signatures in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1110**, 107 (2011)
158. Measurement of the inclusive isolated prompt photon cross-section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using 35 pb-1 of ATLAS data.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **706**, 150 (2011)
159. Search for neutral MSSM Higgs bosons decaying to  $\tau^+\tau^-$  pairs in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **705**, 174 (2011)
160. Search for First Generation Leptoquarks in ep Collisions at HERA.  
F. D. Aaron, C. Alexa, V. Andreev, S. Backovic, A. Baghdasaryan, S. Baghdasaryan, E. Barrelet and W. Bartel *et al.*, Phys. Lett. B **704**, 388 (2011)
161. Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **84**, 054001 (2011)
162. Measurement of the Diffractive Longitudinal Structure Function  $F_L^D$  at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **72**, 1836 (2012)
163. Search for Contact Interactions in  $e^\pm p$  Collisions at HERA.  
F. D. Aaron, C. Alexa, V. Andreev, S. Backovic, A. Baghdasaryan, S. Baghdasaryan, E. Barrelet and W. Bartel *et al.*, Phys. Lett. B **705**, 52 (2011)
164. Measurement of the transverse momentum distribution of Z/gamma\* bosons in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **705**, 415 (2011)
165. Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1763 (2011)
166. Measurement of dijet production with a veto on additional central jet activity in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1109**, 053 (2011)
167. Search for Diphoton Events with Large Missing Transverse Energy with  $36 \text{ pb}^{K-1}$  of 7 TeV Proton-Proton Collision Data with the ATLAS Detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1744 (2011)
168. Measurement of the isolated di-photon cross-section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **85**, 012003 (2012)

169. Measurement of Photon Production in the Very Forward Direction in Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **71**, 1771 (2011)
170. Measurement of the  $v_{1S}$  Production Cross-Section in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV in ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **705**, 9 (2011)
171. Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **705**, 294 (2011)
172. Search for Heavy Long-Lived Charged Particles with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **703**, 428 (2011)
173. Limits on the production of the Standard Model Higgs Boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1728 (2011)
174. Measurement of Wgamma and Zgamma production in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector.  
G. Aad *et al.* [ATLAS Collaboration], JHEP **1109**, 072 (2011)
175. Measurement of  $D^{*\pm}$  Meson Production and Determination of  $F_2^{cc\bar{c}}$  at low Q2 in Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **71**, 1769 (2011), [Erratum-*ibid.* C **72**, 2252 (2012)]
176. Measurement of the  $WW$  cross section in  $\sqrt{s} = 7$  TeV  $pp$  collisions with ATLAS.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **107**, 041802 (2011)
177. Search for Contact Interactions in Dimuon Events from  $pp$  Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **84**, 011101 (2011)
178. Search for pair production of first or second generation leptoquarks in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. D **83**, 112006 (2011)
179. Measurement of the differential cross-sections of inclusive, prompt and non-prompt  $J/\psi$  production in proton-proton collisions at  $\sqrt{s} = 7$  TeV.  
G. Aad *et al.* [ATLAS Collaboration], Nucl. Phys. B **850**, 387 (2011)
180. Measurement of the Inelastic Proton-Proton Cross-Section at  $\sqrt{s} = 7$  TeV with the ATLAS Detector.  
G. Aad *et al.* [ATLAS Collaboration], Nature Commun. **2**, 463 (2011)
181. Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS detector.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1647 (2011)
182. Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS experiment.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1682 (2011)
183. Search for high mass dilepton resonances in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **700**, 163 (2011)

184. Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **106**, 251801 (2011)
185. Search for Lepton Flavour Violation at HERA.  
 F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **701**, 20 (2011)
186. Search for supersymmetry in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in final states with missing transverse momentum and  $b^-$  jets.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **701**, 398 (2011)
187. Search for New Physics in Dijet Mass and Angular Distributions in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV Measured with the ATLAS Detector.  
 G. Aad *et al.* [ATLAS Collaboration], New J. Phys. **13**, 053044 (2011)
188. Measurement of the Muon Charge Asymmetry from W Bosons Produced in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **701**, 31 (2011)
189. Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **701**, 1 (2011)
190. Measurements of underlying-event properties using neutral and charged particles in  $pp$  collisions at 900 GeV and 7 TeV with the ATLAS detector at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1636 (2011)
191. Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **701**, 50 (2011)
192. Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions.  
 G. Aad *et al.* [Atlas Collaboration], Phys. Lett. B **701**, 186 (2011)
193. Measurement of Dijet Azimuthal Decorrelations in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **106**, 172002 (2011)
194. Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$ .  
 G. Aad *et al.* [Atlas Collaboration], Phys. Rev. Lett. **106**, 131802 (2011)
195. Search for Massive Long-lived Highly Ionising Particles with the ATLAS Detector at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **698**, 353 (2011)
196. Luminosity Determination in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV Using the ATLAS Detector at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1630 (2011)
197. Study of Jet Shapes in Inclusive Jet Production in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV using the ATLAS Detector.  
 G. Aad *et al.* [Atlas Collaboration], Phys. Rev. D **83**, 052003 (2011)
198. Measurement of the production cross section for  $W^-$  bosons in association with jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **698**, 325 (2011)
199. Measurement of the centrality dependence of  $J/\psi$  yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC.  
 G. Aad *et al.* [Atlas Collaboration], Phys. Lett. B **697**, 294 (2011)

200. Measurement of the Inclusive  $e \pm p$  Scattering Cross Section at High Inelasticity  $y$  and of the Structure Function  $F_L$ .  
 F. D. Aaron *et al.* [ H1 Collaboration], Eur. Phys. J. C **71**, 1579 (2011)
201. Measurement of the inclusive isolated prompt photon cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [Atlas Collaboration], Phys. Rev. D **83**, 052005 (2011)
202. Charged-particle multiplicities in  $pp$  interactions measured with the ATLAS detector at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], New J. Phys. **13**, 053033 (2011)
203. Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **106**, 121803 (2011)
204. Measurement of the top quark-pair production cross section with ATLAS in  $pp$  collisions at  $\sqrt{s} = 7$  TeV.  
 G. Aad *et al.* [Atlas Collaboration], Eur. Phys. J. C **71**, 1577 (2011)
205. Measurement of underlying event characteristics using charged particles in  $pp$  collisions at  $\sqrt{s} = 900 GeV$  and 7 TeV with the ATLAS detector.  
 G. Aad *et al.* [Atlas Collaboration], Phys. Rev. D **83**, 112001 (2011)
206. Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at  $\sqrt{s_{NN}} = 2.77$  TeV with the ATLAS Detector at the LHC.  
 G. Aad *et al.* [Atlas Collaboration], Phys. Rev. Lett. **105**, 252303 (2010)
207. Search for Squarks in R-parity Violating Supersymmetry in  $ep$  Collisions at HERA.  
 F. D. Aaron *et al.* [ H1 Collaboration], Eur. Phys. J. C **71**, 1572 (2011)
208. Studies of the performance of the ATLAS detector using cosmic-ray muons.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **71**, 1593 (2011)
209. Measurement of the  $W \rightarrow \ell\nu$  and  $Z/\gamma^* \rightarrow \ell\ell$  production cross sections in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
 G. Aad *et al.* [Atlas Collaboration], JHEP **1012**, 060 (2010)
210. Measurement of the cross section for diffractive deep-inelastic scattering with a leading proton at HERA.  
 F. D. Aaron, C. Alexa, V. Andreev, S. Backovic, A. Baghdasaryan, E. Barrelet, W. Bartel and K. Begzsuren *et al.*, Eur. Phys. J. C **71**, 1578 (2011)
211. Search for Quark Contact Interactions in Dijet Angular Distributions in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV Measured with the ATLAS Detector.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **694**, 327 (2011)
212. Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector.  
 G. Aad *et al.* [Atlas Collaboration], Eur. Phys. J. C **71**, 1512 (2011)
213. Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC.  
 G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. **105**, 161801 (2010)
214. Measurement of Charm and Beauty Jets in Deep Inelastic Scattering at HERA.  
 F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **71**, 1509 (2011)
215. Readiness of the ATLAS Tile Calorimeter for LHC collisions.  
 G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **70**, 1193 (2010)

216. Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **70**, 875 (2010)
217. Diffractive Dijet Photoproduction in ep Collisions at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **70**, 15 (2010)
218. Performance of the ATLAS Detector using First Collision Data.  
G. Aad *et al.* [Atlas Collaboration], JHEP **1009**, 056 (2010)
219. The ATLAS Simulation Infrastructure.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **70**, 823 (2010)
220. The ATLAS Inner Detector commissioning and calibration.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **70**, 787 (2010)
221. Charged-particle multiplicities in  $pp$  interactions at  $\sqrt{s} = 900$  GeV measured with the ATLAS detector at the LHC.  
G. Aad *et al.* [ATLAS Collaboration], Phys. Lett. B **688**, 21 (2010)
222. Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **70**, 755 (2010)
223. Inelastic Production of J/psi Mesons in Photoproduction and Deep Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **68**, 401 (2010)
224. Measurement of Leading Neutron Production in Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **68**, 381 (2010)
225. Readiness of the ATLAS Liquid Argon Calorimeter for LHC Collisions.  
G. Aad *et al.* [ATLAS Collaboration], Eur. Phys. J. C **70**, 723 (2010)
226. Jet Production in ep Collisions at Low  $Q^2$  and Determination of  $\alpha_s$ .  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **67**, 1 (2010)
227. Measurement of the  $D^{*+}$  Meson Production Cross Section and  $F_2^{c\bar{c}}$ , at High  $Q^2$ , in ep Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **686**, 91 (2010)
228. Combined Measurement and QCD Analysis of the Inclusive  $e^\pm$  Scattering Cross Sections at HERA.  
F. D. Aaron *et al.* [H1 and ZEUS Collaboration], JHEP **1001**, 109 (2010)
229. Events with an Isolated Lepton and Missing Transverse Momentum and Measurement of W Production at HERA.  
F. D. Aaron *et al.* [H1 and ZEUS Collaboration], JHEP **1003**, 035 (2010)
230. Diffractive Electroproduction of  $\rho$  and  $\phi$  Mesons at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], JHEP **1005**, 032 (2010)
231. Prompt Photons in Photoproduction at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **66**, 17 (2010)
232. Deeply Virtual Compton Scattering and its Beam Charge Asymmetry in  $e^\pm$  Collisions at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **681**, 391 (2009)
233. Multi-Leptons with High Transverse Momentum at HERA.  
F. D. Aaron *et al.* [H1 and ZEUS Collaboration], JHEP **0910**, 013 (2009)

234. Observation of the Hadronic Final State Charge Asymmetry in High  $Q^2$  Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **681**, 125 (2009)
235. Measurement of the Charm and Beauty Structure Functions using the H1 Vertex Detector at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **65**, 89 (2010)
236. Search for Single Top Quark Production at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **678**, 450 (2009)
237. Jet Production in  $ep$  Collisions at High  $Q^2$  and Determination of  $\alpha_s$ .  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **65**, 363 (2010)
238. A Precision Measurement of the Inclusive  $ep$  Scattering Cross Section at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **64**, 561 (2009)
239. Search for Excited Quarks in  $ep$  Collisions at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **678**, 335 (2009)
240. Measurement of the Inclusive  $ep$  Scattering Cross Section at Low  $Q^2$  and  $x$  at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **63**, 625 (2009)
241. Events with Isolated Leptons and Missing Transverse Momentum and Measurement of  $W$  Production at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **64**, 251 (2009)
242. Inclusive Photoproduction of  $\rho^0$ ,  $K^{*0}$  and  $\phi$  Mesons at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **673**, 119 (2009)
243. Strangeness Production at low  $Q^2$  in Deep-Inelastic  $ep$  Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **61**, 185 (2009)
244. A General Search for New Phenomena at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **674**, 257 (2009)
245. Measurement of Diffractive Scattering of Photons with Large Momentum Transfer at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **672**, 219 (2009)
246. Study of Charm Fragmentation into  $D^{*+}$  Mesons in Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **59**, 589 (2009)
247. Multi-Lepton Production at High Transverse Momenta in  $ep$  Collisions at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **668**, 268 (2008)
248. Search for Excited Electrons in  $ep$  Collisions at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **666**, 131 (2008)
249. Measurement of the Proton Structure Function  $F_L(x, Q^2)$  at Low  $x$ .  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **665**, 139 (2008)
250. A Search for Excited Neutrinos in  $e^-p$  Collisions at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **663**, 382 (2008)
251. Measurement of isolated photon production in deep-inelastic scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **54**, 371 (2008)
252. BlackMax: A black-hole event generator with rotation, recoil, split branes, and brane tension.  
D. -C. Dai, G. Starkman, D. Stojkovic, C. Issever, E. Rizvi and J. Tseng, Phys. Rev. D **77**, 076007 (2008)

253. Three- and Four-jet Production at Low  $x$  at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Eur. Phys. J. C **54**, 389 (2008)
254. Measurement of deeply virtual Compton scattering and its  $t$ -dependence at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **659**, 796 (2008)
255. Dijet Cross Sections and Parton Densities in Diffractive DIS at HERA.  
A. Aktas *et al.* [H1 Collaboration], JHEP **0710**, 042 (2007)
256. Measurement of inclusive jet production in deep-inelastic scattering at high  $Q^2$  and determination of the strong coupling.  
A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **653**, 134 (2007)
257. Charged Particle Production in High  $Q^2$  Deep-Inelastic Scattering at HERA.  
F. D. Aaron *et al.* [H1 Collaboration], Phys. Lett. B **654**, 148 (2007)
258. Search for baryonic resonances decaying to  $\Xi\pi$  in deep-inelastic scattering at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **52**, 507 (2007)
259. Tests of QCD factorisation in the diffractive production of dijets in deep-inelastic scattering and photoproduction at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **51**, 549 (2007)
260. Search for lepton flavour violation in  $ep$  collisions at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **52**, 833 (2007)
261. Production of  $D^{*+-}$  Mesons with Dijets in Deep-Inelastic Scattering at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **51**, 271 (2007)
262. Diffractive open charm production in deep-inelastic scattering and photoproduction at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **50**, 1 (2007)
263. Inclusive  $D^{*+-}$  Meson Cross Sections and  $D^{*+-}$  Jet Correlations in Photoproduction at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **50**, 251 (2007)
264. Measurement and QCD analysis of the diffractive deep-inelastic scattering cross-section at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **48**, 715 (2006)
265. Diffractive deep-inelastic scattering with a leading proton at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **48**, 749 (2006)
266. Measurement of charm and beauty dijet cross-sections in photoproduction at HERA using the H1 vertex detector.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **47**, 597 (2006)
267. Search for a narrow baryonic resonance decaying to  $K_s^0 p$  or  $K_s^0 \bar{p}$  in deep inelastic scattering at HERA.  
A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **639**, 202 (2006)
268. Search for doubly-charged Higgs boson production at HERA.  
A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **638**, 432 (2006)
269. Tau lepton production in  $ep$  collisions at HERA.  
A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **48**, 699 (2006)
270. Diffractive photoproduction of  $\rho$  mesons with large momentum transfer at HERA.  
A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **638**, 422 (2006)
271. Photoproduction of dijets with high transverse momenta at HERA.  
A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **639**, 21 (2006)

272. First measurement of charged current cross sections at HERA with longitudinally polarised positrons.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **634**, 173 (2006)
273. Measurement of event shape variables in deep-inelastic scattering at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **46**, 343 (2006)
274. Elastic  $J/\psi$  production at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **46**, 585 (2006)
275. Forward jet production in deep inelastic scattering at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **46**, 27 (2006)
276. Measurement of  $F_2^{c\bar{c}}$  and  $F_2^{b\bar{b}}$  at low  $Q^2$  and  $x$  using the H1 vertex detector at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **45**, 23 (2006)
277. A Determination of electroweak parameters at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **632**, 35 (2006)
278. Search for leptoquark bosons in  $ep$  collisions at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **629**, 9 (2005)
279. Measurement of deeply virtual compton scattering at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **44**, 1 (2005)
280. Measurement of charm and beauty photoproduction at HERA using  $D^*$   $\mu$  correlations.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **621**, 56 (2005)
281. Measurement of beauty production at HERA using events with muons and jets.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **41**, 453 (2005)
282. Measurement of dijet cross sections in  $ep$  interactions with a leading neutron at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **41**, 273 (2005)
283. A Direct search for stable magnetic monopoles produced in positron-proton collisions at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **41**, 133 (2005)
284. Search for light gravitinos in events with photons and missing transverse momentum at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **616**, 31 (2005)
285. Measurement of  $F_2^{c\bar{c}}$  and  $F_2^{b\bar{b}}$  at high  $Q^2$  using the H1 vertex detector at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **40**, 349 (2005)
286. Inclusive production of  $D^+$ ,  $D^0$ ,  $D_s^+$  and  $D^{*+}$  mesons in deep inelastic scattering at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **38**, 447 (2005)
287. A General search for new phenomena in  $ep$  scattering at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **602**, 14 (2004)
288. Measurement of prompt photon cross sections in photoproduction at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **38**, 437 (2005)
289. Measurement of the proton structure function  $F_2$  at low  $Q^2$  in QED Compton scattering at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **598**, 159 (2004)
290. Search for bosonic stop decays in R-parity violating supersymmetry in  $e^+p$  collisions at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **599**, 159 (2004)
291. Forward  $\pi^0$  production and associated transverse energy flow in deep-inelastic scattering at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **36**, 441 (2004)

292. Measurement of anti-deuteron photoproduction and a search for heavy stable charged particles at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **36**, 413 (2004)
293. Search for squark production in R parity violating supersymmetry at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **36**, 425 (2004)
294. Evidence for a narrow anti-charmed baryon state.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **588**, 17 (2004)
295. Measurement of dijet production at low  $Q^2$  at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **37**, 141 (2004)
296. Muon pair production in  $ep$  collisions at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **583**, 28 (2004)
297. Search for single top quark production in  $ep$  collisions at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **33**, 9 (2004)
298. Inclusive dijet production at low Bjorken  $x$  in deep inelastic scattering.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **33**, 477 (2004)
299. Multielectron production at high transverse momenta in  $ep$  collisions at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Eur. Phys. J. C **31**, 17 (2003)
300. Diffractive photoproduction of  $J/\psi$  mesons with large momentum transfer at HERA.  
 A. Aktas *et al.* [H1 Collaboration], Phys. Lett. B **568**, 205 (2003)
301. Search for new physics in  $e^\pm q$  contact interactions at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **568**, 35 (2003)
302. Measurement and QCD analysis of neutral and charged current cross-sections at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **30**, 1 (2003)
303. Measurement of inclusive jet cross-sections in photoproduction at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **29**, 497 (2003)
304. Isolated electrons and muons in events with missing transverse momentum at HERA.  
 V. Andreev *et al.* [H1 Collaboration], Phys. Lett. B **561**, 241 (2003)
305. Search for excited electrons at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **548**, 35 (2002)
306. Search for odderon induced contributions to exclusive pi0 photoproduction at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **544**, 35 (2002)
307. Measurement of inclusive jet cross-sections in deep inelastic ep scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **542**, 193 (2002)
308. Diffractive photoproduction of  $\psi(2S)$  mesons at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **541**, 251 (2002)
309. Search for QCD instanton induced processes in deep inelastic scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **25**, 495 (2002)
310. Inelastic leptoproduction of  $J/\psi$  mesons at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **25**, 41 (2002)
311. Inelastic photoproduction of  $J/\psi$  mesons at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **25**, 25 (2002)

312. A Measurement of the t dependence of the helicity structure of diffractive rho meson electroproduction at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **539**, 25 (2002)
313. Energy flow and rapidity gaps between jets in photoproduction at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **24**, 517 (2002)
314. Measurement of dijet cross-sections in photoproduction at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **25**, 13 (2002)
315. Measurement of dijet electroproduction at small jet separation.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **24**, 33 (2002)
316. Search for excited neutrinos at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **525**, 9 (2002)
317. D<sup>\*+-</sup> meson production in deep inelastic diffractive interactions at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **520**, 191 (2001)
318. Measurement of  $D^{*\pm}$  meson production and  $F_2^c$  in deep inelastic scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **528**, 199 (2002)
319. On the rise of the proton structure function  $F_2$  towards low  $x$ .  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **520**, 183 (2001)
320. A Search for leptoquark bosons in  $e^-p$  collisions at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **523**, 234 (2001)
321. Measurement of deeply virtual Compton scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **517**, 47 (2001)
322. Three Jet production in deep inelastic scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **515**, 17 (2001)
323. Photoproduction with a leading proton at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Nucl. Phys. B **619**, 3 (2001)
324. Searches at HERA for squarks in R-parity violating supersymmetry.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **20**, 639 (2001)
325.  $xF_3^{\gamma Z}$  in charged lepton scattering.  
 E. Rizvi and T. Sloan, Eur. Phys. J. direct C **3**, N2 (2001)
326. Deep inelastic inclusive e p scattering at low x and a determination of  $\alpha_s$ .  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **21**, 33 (2001)
327. Measurement of neutral and charged current cross-sections in electron - proton collisions at high  $Q^2$ .  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **19**, 269 (2001)
328. Diffractive jet production in deep inelastic  $e^+p$  collisions at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **20**, 29 (2001)
329. Measurement and QCD analysis of jet cross-sections in deep inelastic positron - proton collisions at  $\sqrt{s}$  of 300-GeV.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **19**, 289 (2001)
330. Dijet production in charged and neutral current e+ p interactions at high  $Q^2$ .  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **19**, 429 (2001)

331. A Search for excited fermions at HERA.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **17**, 567 (2000)
332. Inclusive photoproduction of neutral pions in the photon hemisphere at HERA.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **18**, 293 (2000)
333. Measurement of elastic electroproduction of  $\phi$  mesons at HERA.  
C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **483**, 360 (2000)
334. Elastic photoproduction of  $J/\psi$  and Upsilon mesons at HERA.  
C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **483**, 23 (2000)
335. Measurement of dijet cross-sections in photoproduction and photon structure.  
C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **483**, 36 (2000)
336. Search for compositeness, leptoquarks and large extra dimensions in  $eq$  contact interactions at HERA.  
C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **479**, 358 (2000)
337. Investigation of power corrections to event shape variables measured in deep inelastic scattering.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **14**, 255 (2000), [Erratum-*ibid.* C **18**, 417 (2000)]
338. Measurement of open beauty production at HERA.  
C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **467**, 156 (1999), [Erratum-*ibid.* B **518**, 331 (2001)]
339. Measurement of neutral and charged current cross-sections in positron proton collisions at large momentum transfer.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **13**, 609 (2000)
340. Forward  $\pi^0$  meson production at HERA.  
C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **462**, 440 (1999)
341. Measurements of transverse energy flow in deep inelastic scattering at HERA.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **12**, 595 (2000)
342. A Search for leptoquark bosons and lepton flavor violation in  $e^+p$  collisions at HERA.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **11**, 447 (1999), [Erratum-*ibid.* C **14**, 553 (2000)]
343. Charmonium production in deep inelastic scattering at HERA.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **10**, 373 (1999)
344. Elastic electroproduction of  $\rho$  mesons at HERA.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **13**, 371 (2000)
345. High  $Q^2$  deep inelastic scattering at HERA.  
A. M. Cooper-Sarkar, A. Bodek, K. Long, E. Rizvi and H. Spiesberger, J. Phys. G **25**, 1387 (1999), [J. Phys. G G **25**, 1387 (1999)]
346. Measurement of internal jet structure in dijet production in deep inelastic scattering at HERA.  
C. Adloff *et al.* [H1 Collaboration], Nucl. Phys. B **545**, 3 (1999)
347. Measurement of dijet cross-sections at low  $Q^2$  and the extraction of an effective parton density for the virtual photon.  
C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **13**, 397 (2000)
348. Measurement of  $D^*$  meson cross-sections at HERA and determination of the gluon density in the proton using NLO QCD.  
C. Adloff *et al.* [H1 Collaboration], Nucl. Phys. B **545**, 21 (1999)

349. Measurement of leading proton and neutron production in deep inelastic scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **6**, 587 (1999)
350. Charged particle cross-sections in photoproduction and extraction of the gluon density in the photon.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **10**, 363 (1999)
351. Forward jet and particle production at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Nucl. Phys. B **538**, 3 (1999)
352. Diffractive dijet production at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **6**, 421 (1999)
353. Multijet event rates in deep inelastic scattering and determination of the strong coupling constant.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **6**, 575 (1999)
354. Dijet event rates in deep inelastic scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **13**, 415 (2000)
355. Differential (2+1) jet event rates and determination of alpha(s) in deep inelastic scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **5**, 625 (1998)
356. Observation of events with an isolated high-energy lepton and missing transverse momentum at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **5**, 575 (1998)
357. Multiplicity structure of the hadronic final state in diffractive deep inelastic scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **5**, 439 (1998)
358. Hadron production in diffractive deep inelastic scattering.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **428**, 206 (1998)
359. Photoproduction of  $\psi(2S)$  mesons at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **421**, 385 (1998)
360. Thrust jet analysis of deep inelastic large rapidity gap events.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **1**, 495 (1998)
361. Low  $Q^2$  jet production at HERA and virtual photon structure.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **415**, 418 (1997)
362. Measurement of the inclusive dijet cross-section in photoproduction and determination of an effective parton distribution in the photon.  
 C. Adloff *et al.* [H1 Collaboration], Eur. Phys. J. C **1**, 97 (1998)
363. Inclusive measurement of diffractive deep inelastic  $ep$  scattering.  
 C. Adloff *et al.* [H1 Collaboration], Z. Phys. C **76**, 613 (1997)
364. Evolution of  $ep$  fragmentation and multiplicity distributions in the Breit frame.  
 C. Adloff *et al.* [H1 Collaboration], Nucl. Phys. B **504**, 3 (1997)
365. Measurement of event shape variables in deep inelastic  $ep$  scattering.  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **406**, 256 (1997)
366. Photoproduction of  $K^0$  and  $\Lambda$  at HERA and a comparison with deep inelastic scattering.  
 C. Adloff *et al.* [H1 Collaboration], Z. Phys. C **76**, 213 (1997)
367. Proton dissociative  $\rho$  and elastic  $\phi$  electroproduction at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Z. Phys. C **75**, 607 (1997)

368. Bose-Einstein correlations in deep inelastic  $ep$  scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Z. Phys. C **75**, 437 (1997)
369. A Measurement of the proton structure function  $F_2(x, Q^2)$  at low  $x$  and low  $Q^2$  at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Nucl. Phys. B **497**, 3 (1997)
370. Observation of events at very high  $Q^2$  in  $ep$  collisions at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Z. Phys. C **74**, 191 (1997)
371. Diffraction dissociation in photoproduction at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Z. Phys. C **74**, 221 (1997)
372. Determination of the longitudinal proton structure function  $F_L(x, Q^2)$  at low  $x$ .  
 C. Adloff *et al.* [H1 Collaboration], Phys. Lett. B **393**, 452 (1997)
373. Scale influence on the energy dependence of photon - proton cross-sections.  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **392**, 234 (1997)
374. Measurement of charged particle transverse momentum spectra in deep inelastic scattering.  
 C. Adloff *et al.* [H1 Collaboration], Nucl. Phys. B **485**, 3 (1997)
375. Search for excited fermions with the H1 detector.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **483**, 44 (1997)
376. Charged particle multiplicities in deep inelastic scattering at HERA.  
 S. Aid *et al.* [H1 Collaboration], Z. Phys. C **72**, 573 (1996)
377. Inclusive  $D^0$  and  $D^{*\pm}$  production in deep inelastic  $ep$  scattering at HERA.  
 C. Adloff *et al.* [H1 Collaboration], Z. Phys. C **72**, 593 (1996)
378. Strangeness production in deep inelastic positron - proton scattering at HERA.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **480**, 3 (1996)
379. A Search for selectrons and squarks at HERA.  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **380**, 461 (1996)
380. A Search for squarks of Rp violating SUSY at HERA.  
 S. Aid *et al.* [H1 Collaboration], Z. Phys. C **71**, 211 (1996)
381. Photoproduction of  $D^{*\pm}$  mesons in electron - proton collisions at HERA.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **472**, 32 (1996)
382. Measurement of the  $Q^2$  dependence of the charged and neutral current cross-sections in  $e^\pm p$  scattering at HERA.  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **379**, 319 (1996)
383. Elastic and inelastic photoproduction of  $J/\psi$  mesons at HERA.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **472**, 3 (1996)
384. A Measurement and QCD analysis of the proton structure function  $F_2(x, Q^2)$  at HERA.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **470**, 3 (1996)
385. Elastic electroproduction of  $\rho^0$  and  $J/\psi$  mesons at large  $Q^2$  at HERA.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **468**, 3 (1996)
386. Energy flow in the hadronic final state of diffractive and nondiffractive deep inelastic scattering at HERA.  
 S. Aid *et al.* [H1 Collaboration], Z. Phys. C **70**, 609 (1996)
387. Elastic photoproduction of  $\rho^0$  mesons at HERA.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **463**, 3 (1996)

388. A Search for leptoquarks at HERA.  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **369**, 173 (1996)
389. Jets and energy flow in photon - proton collisions at HERA.  
 S. Aid *et al.* [H1 Collaboration], Z. Phys. C **70**, 17 (1996)
390. Measurement of the total photon-proton cross-section and its decomposition at 200-GeV center-of-mass energy.  
 S. Aid *et al.* [H1 Collaboration], Z. Phys. C **69**, 27 (1995)
391. Comparison of deep inelastic scattering with photoproduction interactions at HERA.  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **358**, 412 (1995)
392. Transverse energy and forward jet production in the low  $x$  regime at HERA.  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **356**, 118 (1995)
393. Measurement of the  $e^+$  and  $e^-$  induced charged current cross-sections at HERA.  
 S. Aid *et al.* [H1 Collaboration], Z. Phys. C **67**, 565 (1995)
394. The Gluon density of the proton at low  $x$  from a QCD analysis of  $F_2$ .  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **354**, 494 (1995)
395. A Direct determination of the gluon density in the proton at low  $x$ .  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **449**, 3 (1995)
396. A Study of the fragmentation of quarks in  $e^-p$  collisions at HERA.  
 S. Aid *et al.* [H1 Collaboration], Nucl. Phys. B **445**, 3 (1995)
397. Leptoquarks and compositeness scales from a contact interaction analysis of deep inelastic  $e^\pm p$  scattering at HERA.  
 S. Aid *et al.* [H1 Collaboration], Phys. Lett. B **353**, 578 (1995)
398. Inclusive parton cross-sections in photoproduction and photon structure.  
 T. Ahmed *et al.* [H1 Collaboration], Nucl. Phys. B **445**, 195 (1995)
399. Experimental study of hard photon radiation processes at HERA.  
 T. Ahmed *et al.* [H1 Collaboration],
400. First measurement of the deep inelastic structure of proton diffraction.  
 T. Ahmed *et al.* [H1 Collaboration], Phys. Lett. B **348**, 681 (1995)
401. A Measurement of the proton structure function  $F_2(x, Q^2)$ .  
 T. Ahmed *et al.* [H1 Collaboration], Nucl. Phys. B **439**, 471 (1995)